

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1	"5471674".pn.	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:10
2	BRS	L2	1145	713/2.ccls.	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:10
3	BRS	L3	1	1 and (operating adj2 system or windows or unix)	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:11
4	BRS	L4	903	2 and (operating adj2 system or windows or unix)	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:41

	Type	L #	Hits	Search Text	DBs	Time Stamp
5	BRS	L5	479	2 and (operating adj2 system or windows or unix).clm.	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/22 15:11
6	BRS	L6	297	5 and (@pd>"20010801" or @ad>"20010801")	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/22 15:29
7	BRS	L7	601	2 and (operating adj2 system or windows or unix) with (run\$5 or execut\$4)	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/22 15:20
8	BRS	L8	372	7 and (@pd>"20010801" or @ad>"20010801")	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/22 15:29

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	244	2 and ((operating adj2 system or windows or unix) with (run\$5 or execut\$4)).clm.	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/22 15:41
10	BRS	L10	243	2 and (operating adj2 system or windows or unix) with (run\$5 or execut\$4 or activat\$4) with (disk or disc or flash or eprom or eeprom or non volatile or nonvolatile or ram)	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/22 15:41
11	BRS	L11	155	10 and (@pd>"20010801" or @ad>"20010801")	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/22 15:29
12	BRS	L12	71	2 and ((operating adj2 system or windows or unix) with (run\$5 or execut\$4 or activat\$4) with (disk or disc or flash or eprom or eeprom or non volatile or nonvolatile or ram)).clm.	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/22 15:26

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	155	11 and (@pd>"20010801" or @ad>"20010801")	US- PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:31
14	BRS	L14	43	12 and (@pd>"20010801" or @ad>"20010801")	US- PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:31
15	BRS	L15	60	12 and (@pd<"20010801" or @ad<"20010801")	US- PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:29
16	BRS	L16	389	5 and (@pd<"20010801" or @ad<"20010801")	US- PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:29

	Type	L #	Hits	Search Text	DBs	Time Stamp
17	BRS	L17	490	7 and (@pd<"20010801" or @ad<"20010801")	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:29
18	BRS	L18	197	10 and (@pd<"20010801" or @ad<"20010801")	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:29
19	BRS	L19	109	11 and (@pd<"20010801" or @ad<"20010801")	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:30
20	BRS	L20	109	11 and (@pd<"20010801" or @ad<"20010801")	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:43

	Type	L #	Hits	Search Text	DBs	Time Stamp
21	BRS	L21	60	12 and (@pd<"20010801" or @ad<"20010801")	US- PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:30
22	BRS	L22	109	11 and (@pd<"20010801" or @ad<"20010801")	US- PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:31
23	BRS	L23	60	12 and (@pd<"20010801" or @ad<"20010801")	US- PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:31

	Type	L #	Hits	Search Text	DBs	Time Stamp
24	BRS	L24	1213	(operating adj2 systemor os or windows or unix) with (run\$5 or execut\$4 or activat\$4) with (in place or instead) with (disk or disc or flash or eprom or eeprom or non volatile or nonvolatile or ram)	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/22 15:44
25	BRS	L25	885	24 and (@pd<"20010801" or @ad<"20010801")	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/22 15:44
26	BRS	L26	225	((operating adj2 systemor os or windows or unix) with (run\$5 or execut\$4 or activat\$4) with (in place or instead) with (disk or disc or flash or eprom or eeprom or non volatile or nonvolatile or ram)).ab.	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/22 15:45

	Type	L #	Hits	Search Text	DBs	Time Stamp
27	BRS	L27	214	26 and (@pd<"20010801" or @ad<"20010801")	US- PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:45
28	BRS	L28	225	((operating adj2 systemor os or windows or unix) with (run\$5 or execut\$4 or activat\$4) with (in aj2 place or instead) with (disk or disc or flash or eprom or eeprom or non volatile or nonvolatile or ram)).ab.	US- PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:46
29	BRS	L29	214	28 and (@pd<"20010801" or @ad<"20010801")	US- PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:46



	Type	L #	Hits	Search Text	DBs	Time Stamp
30	BRS	L30	14	((operating adj2 system or os or windows or unix) with (run\$5 or execut\$4 or activat\$4) with (in adj2 place or instead) with (disk or disc or flash or eprom or eeprom or non volatile or nonvolatile or ram)).ab.	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/22 15:49
31	BRS	L31	14	30 and (@pd<"20010801" or @ad<"20010801")	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/22 15:49
32	BRS	L32	69	((operating adj2 system or os or windows or unix) same (run\$5 or execut\$4 or activat\$4) same (in adj2 place or instead) same (disk or disc or flash or eprom or eeprom or non volatile or nonvolatile or ram)).ab.	US-PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/22 15:54

	Type	L #	Hits	Search Text	DBs	Time Stamp
33	BRS	L33	63	32 and (@pd<"20010801" or @ad<"20010801")	US- PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:54
34	BRS	L34	86	((operating adj2 system or os or windows or unix) same (run\$5 or execut\$4 or activat\$4) same (in adj2 place or instead) same (disk or disc or flash or eprom or eeprom or non volatile or nonvolatile or ram)).ab.	US- PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:54
35	BRS	L35	77	34 and (@pd<"20010801" or @ad<"20010801")	US- PGPU B; USPA T; EPO; JPO; IBM_T DB	2004/11/2 2 15:54